## **CLEAN VERSION OF AMENDED CLAIMS**

24. (amended) A laminated sheet or film comprising the following (co)extruded layers:

a substrate layer comprising - based on the sum of the amounts of the following components A and B and, if used, C and/or D, which totals 100% by weight -

- 1 99% by weight component A, which is of a graft copolymer of
  - 1 99% by weight of a particulate graft base A1 comprising the following monomers:
    - 80 99.99% by weight of at least one C<sub>1-8</sub>-alkyl ester of acrylic acid as component A11;
    - 0.01 -20% by weight of at least one polyfunctional crosslinking monomer as component A12;
  - 1 99% by weight of a graft A2 comprising the following monomers, based on A2:
- 40 100% by weight of units of styrene, a substituted styrene or a (meth)acrylate, or mixtures thereof, as component A21 and
  - up to 60% by weight of units of acrylonitrile or methacrylonitrile as component A22;
  - the graft A2 comprising at least one graft shell and the graft copolymer having a mean particle size of 50 1000 nm;

## GREFENSTEIN et al., Serial No. 08/987,775

- 1 99% by weight of component B, which is a copolymer of
  40 100% by weight of units of styrene, a substituted styrene or a
  (meth)acrylate, or mixtures thereof, as component B1, and
  up to 60% by weight of acrylonitrile or methacrylonitrile as component B2;
- 0 80% by weight of component C, which is a polycarbonate; and
- 0 50% by weight of component D, which is a fibrous or particulate filler or mixtures thereof;

and

a transparent top layer of polymethyl methacrylate.

25. (amended) A laminated sheet or film as defined in claim 24, additionally comprising between the top layer and the substrate layer

an (co)extruded interlayer of impact-modified polymethyl methacrylate, polycarbonate or a molding composition of the substrate layer as set forth in claim 24 without polycarbonate, if the substrate layer contains polycarbonate.

27. (amended) A laminated film comprising, in this order, the following (co)extruded layers:

a substrate layer comprising a member selected from the group consisting of components A and B, and optionally C and D, as set forth in claim 24; ABS; polycarbonate; polybutylene terephthalate; polyethylene terephthalate; polyethylene terephthalate; polyetherimide; polyether ketone; polyphenylene sulfide; and

## GREFENSTEIN et al., Serial No. 08/987,775

polyphenylene ether or blends thereof, the substrate layer having a layer thickness of from 90 to 990 µm; and a transparent top layer comprising a member selected from the group consisting

of: polymethyl methacrylate; high-impact polymethyl methacrylate; ABS; polycarbonate; polyethylene terephthalate; styrene-acrylonitrile copolymers; polyamide; and polyether sulfone or polysulfone; the top layer having a layer thickness of from 10 to 100 μm;

the substrate layer comprising special-effect colorants if the substrate layer and the top layer are composed of polyamide, the overall thickness of the laminated film being from 100 to 1000  $\mu m$ .

28. (amended) A laminated film as defined in claim 27, additionally comprising between the top layer and the substrate layer

an (co)extruded interlayer of a member selected from the group consisting of: polymethyl methacrylate; high-impact polymethyl methacrylate; ABS; polycarbonate; polyethylene terephthalate; styrene-acrylonitrile copolymers; polyamide; polyether sulfone or polysulfone, the interlayer comprising special-effect colorants and having a layer thickness of from 50 to 400 µm.

29. (amended) A laminated film as defined in claim 28, additionally comprising, on the outer surface of the substrate layer,

an (co)extruded adhesion layer comprising an adhesion promoter and having a

GREFENSTEIN et al., Serial No. 08/987,775

layer thickness of from 5 to 100 µm.

- 33. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 24, which is backsprayed or back-cast with components A and B, and optionally C and/or D as set forth in claim 24 or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer as set forth in claim 24, or a polyurethane foam.
- 35. (amended) A laminated sheet or film as defined in claim 24, wherein a transport protection film is applied to the outside of the top layer.
- 36. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 25, which is backsprayed or back-cast with the substrate layer as set forth in claim 25 or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer as set forth in claim 25, or a polyurethane foam.
- 37. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 31, which is backsprayed or back-cast with the substrate layer or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer, or a polyurethane foam.
- 38. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 32, which is backsprayed or back-cast with the substrate layer or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer, or a polyurethane foam.